e

	A ItAir- No	Analicant(a)
Notice of Allowability	Application No.	Applicant(s)
	10/772,231	SCHMID ET AL.
	Examiner	Art Unit
	Thai-Ba Trieu	3748
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the After-Final Amendment filed on 12/22/2005.		
2. The allowed claim(s) is/are 1 and 7-11.		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	5 Notice of Informal D	Setant Application (RTO 152)
1. Notice of References Cited (PTO-892)	<u>=</u>	ratent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	(PTO-413), te
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.	

Art Unit: 3748

DETAILED ACTION

This Office Action is in response to the Amendment After-Final Rejection filed on December 22, 2005. Claims 2-6 and 12 were cancelled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The prior art fails to disclose or render obvious the claimed combination of an internal combustion engine having an air intake duct, an exhaust duct, a turbocharger with an exhaust gas turbine disposed in the exhaust duct and a compressor disposed in the air intake duct and connected to the turbine to be driven thereby, a rotary slide valve disposed in the exhaust duct upstream of the turbine and bypassing the turbine for discharging exhaust gas from first and second exhaust ducts upstream of the turbine, said valve including:

"valve housing with relief openings disposed adjacent to each other and with a valve body with said first and second control openings spaced relationship with the space therebetween extending over an intermediate angular wall section of said valve body corresponding to the size of both of said release opening for blocking communication with said exhaust duct and said bypass line, said valve body being movable from a blocking position in which said intermediate angular wall section blocks both said release openings in one direction to a position in which one of said release openings is in communication with the second exhaust gas flow control opening and in the opposite direction to a position in which both release openings are in communication with the first exhaust gas flow control opening."

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Page 3

Application/Control Number: 10/772,231

Art Unit: 3748

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Thai-Ba Trieu whose telephone number is (571) 272-

4867. The examiner can normally be reached on Monday - Thursday (6:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Thomas E. Denion can be reached on (571) 272-4859. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

TTB

January 04, 2006

Thai-Ba Trieu

Primary Examiner

Art Unit 3748